

## Clevises

select	Inquiry	Bearing number	d <sub>1</sub> H9	g ±0.5	a <sub>1</sub> h11	a <sub>2</sub> +0.30 -0.16	b <sub>1</sub> B13	Dimensions							Weight	
								b <sub>2</sub>	d <sub>2</sub>	d <sub>3</sub> ±0.3	f ±0.2	L <sub>1</sub> ±0.5	L <sub>2</sub>	L <sub>3</sub> ±0.2	r	kg
SG4 x 8	4	8	8	8	4	4 +0.33 +0.15	M4 x 0.7	8	0.5	21	16 ±0.3	6	0.5	0.005		
SG4 x 16	4	16	8	K	4	4 +0.33 +0.15	M4 x 0.7	8	0.5	29	24 ±0.3	6	0.5	0.007		
SG5 x 10	5	10	10	10	5	5 +0.33 +0.15	M5 x 0.8	9	0.5	26	20 ± 03	7.5	0.5	0.009		
SG5 x 20	5	20	10	10	5	5 +0.33 +0.15	MS x 0.8	9	0.5	36	30 ±03	7.5	0.5	0.013		
SG6x 12	6	12	12	12	6	6 +0.33 +0.15	M6x 1.0	10	0.5	31	24±0.3	9	0.5	0.015		
SG6x24	6	24	12	12	6	6 +0.33 +0.15	M6x 1.0	10	0.5	43	36 ±0.4	9	0.5	0.021		
SG8x 16	8	16	16	16	8	8 +0.33 +0.15	M8x 1.25	14	0.5	42	32 ±04	12	0.5	0.037		
SG8x 16/B1	8	16	16	16	8	8 +0.33 +0.15	M8x 1.0	14	0.5	42	32 ±04	12	0.5	0.037		
SG8 x 32	8	32	16	16	8	8 +0.33 +0.15	Mx 1.25	14	0.5	58	48±0.4	12	0.5	0.054		
SG8x32/B1	8	32	16	16	8	8 +0.33 +0.15	M8x 1.0	14	0.5	58	48±0.4	12	0.5	0.054		
SG10x20	10	20	20	20	10	10 +0.33 +0.15	M10 x 1.5	18	0.5	52	40 ±0.4	15	0.5	0.074		
SG10 x 20/B1	10	20	20	20	10	10 +0.33 +0.15	M10x 1.25	18	0.5	52	40 ±0.4	15	0.5	0.074		
SG10x40	10	40	20	20	10	10 +0.33 +0.15	M10x 1.5	18	0.5	72	60±0.4	15	0.5	0.116		
SG10x40/B1	10	40	20	20	10	10 +0.33 +0.15	M10x 1.25	18	0.5	72	60±0.4	15	0.5	0.116		
SG 12x24	12	24	24	24	12	12 +0.70 +0.15	M12x 1.75	20	0.5	62	48±0.4	18	0.5	0.121		

## Clevises

SG12x24/B2	12	24	24	24	12	12 +0.70 +0.15	M12x L25	20	0.5	62	48±0.4	18	0.5	0.121
SG12x48	12	48	24	24	12	12 +0.70 +0.15	M12x 1.75	20	0.5	86	72 ±0.4	18	0.5	0.175
SG12x48/B2	12	48	24	24	12	12 +0.70 +0.15	M12x 1.25	20	0.5	86	72 ±0.4	18	0.5	0.175
SG14x28	14	28	27	27	14	14 +0.70 +0.15	M14x2.0	24	1	72	56 ±0.4	22.5	1	0.178
SGI4x28/B1	14	28	27	27	14	14 +0.70 +0.15	M14x 1.5	24	1.0	75	56 ±0.4	22.5	1.0	0.178
SG14 x56	14	56	27	27	14	14 +0.70 +0.15	M14x 2.0	24	1	101	85 ± 0.4	22.5	1	0.258
SG14 x56/B1	14	56	27	27	14	14 +0.70 +0.15	M14x 1.5	24	1.0	101	85 ± 0.4	22.5	1.0	0.258
SG16x32	16	64	32	32	16	16 +0.70 +0.15	M16x 2.0	26	1	83	64 ±04	24	1	0.282
SG16x32/B1	16	32	32	32	16	16 +0.70 +0.15	M16x 1.5	26	1.0	83	64 ±04	24	1.0	0.282
SG16x 64	16	64	32	32	16	16 +0.70 +0.15	M16x 2.0	26	1	115	96 ± 0.4	24	1	0.411
SG16x 64/B1	16	64	32	32	16	16 +0.70 +0.15	M16 x 1.5	26	1.0	115	96 ± 0.4	24	1.0	0.411
SG18 x36/B	18	36	36	36	18	18 +0.70 +0.15	M18 x 2.5	30	1	94	72 ± 0.4	27	1.5	0.39
SG18 x36	18	36	36	36	18	18 +0.70 +0.15	M18x 1.5	30	1.0	94	72 ± 0.4	27	1.5	0.39
SG20 x 40/B	20	40	40	40	20	20 +0.70 +0.15	M20 x 2.5	34	1	105	80± 0.4	30	1.5	0.55
SG20 x 40	20	40	40	40	20	20 +0.70 +0.15	M20 x 1.5	34	1.0	105	80 ± 0.4	30	1.5	0.55